






Lp	Kod	Nazwa	Ilość
1	3409100001-0001	Combination oil seal 30×55×18	2
2	360910017	Elastomeric retaining ring 55	2
3	360720012	Deep groove ball bearing 6006/P6	2
4	2427600015-0001	Support base weldment	2
5	360220062	Hex flange bolt M10×20	4
6	2113600024-0001	Output shaft/drive wheel assembly	2
8	360220157	Hexagon flange bolt M10×25	4
9	360220040	Hex head bolt M8×20	8
10	360220047	Hex head bolt M8×70	4
11	2418500006-0001	Shell / Left	1
12	360720025	Deep groove ball bearing 6203/P6	5
13	2136700001-0001	III-axis short sleeve	1
14	2107900001-0001	1R gear from gear	2
15	2108100001-0001	III-axis driven gear	1
16	2136500001-0001	III-axis intermediate bearing housing	1
17	2108200001-0001	Three-speed driven gear	1
18	2108300001-0001	Three-speed active gear	1
19	2115100001-0001	III-axis	1
20	2117200005-0001	Second gear driven gear	1
21	2136600001-0001	III-axis long shaft sleeve	1
22	2418500004-0001	Shell/Right	1
23	2116800001-0001	Transmission guard plate	1
24	360040009	Hex flange nut M8	8
25	360720040	Deep groove ball bearing 6206/P6	2
26	2137100001-0001	V-axis bushing	2
27	2108600001-0001	V-axis driven gear	2
28	2136900001-0001	V-axis connecting sleeve	1
29	2104500001-0001	stop seat	2
30	360220158	Hex head bolt M8×95	2
31	360220043	Hexagon flange bolt M8×40	2
32	2103300002-0001	Steering separation fork	2
33	360800030	Oil seal 15×26×6	4
34	2140700002-0001	Steering Separation Arm Assembly	2
35	360580023	Standard Type 6×24 Elastic Cylindrical Pin Coiling	3
36	360720009	Deep groove ball bearing 6004/P6	2
37	2136300001-0001	IV shaft gasket	2
38	3404700004-0001	Tension wheel rotation spring	2
39	2108400001-0001	steering gear	2
40	360910025	Hole elastic retaining ring 42	2
41	2108500001-0001	IV axle driven gear	1
42	2136200001-0001	IV axis	1
43	3410800133-0001	Bushing 20.2×25×15	1
44	2108000001-0001	Active gear of II shaft	1
45	2136100001-0001	II shaft bushing	1
46	2114900003-0001	II-axis	1
47	360770003	Roller bearing K20×24×13	2

48	2107800001-0001	Auxiliary transmission dual gear	1
49	2136400001-0001	Thin gasket for II-axis	1
50	2107700001-0001	1R sliding gear	1
51	2107600001-0001	Second and third sliding gears	1
52	360920064	Shaft with elastic retaining ring 20	1
53	2115000001-0001	Axis I	1
54	2107500001-0001	Secondary transmission driven gear	1
55	2138200001-0001	Input shaft and I-axis shim	1
56	360920043	Shaft with elastic retaining ring 28	2
57	360770004	Rolling needle bearing K14×18×13	2
58	2138000001-0001	Input shaft retaining ring	1
59	2114500012-0001	input shaft	1
60	2117500002-0001	Secondary gear shift transmission	1
61	360720064	Deep groove ball bearing 61905/P6	1
62	2102700002-0001	Second and third gear shift fork	1
63	3404800012-0001	Gear Lever Spring 8×25	2
64	360970009	Steel ball Sφ8	2
65	2103900001-0001	Lower arm shaft	1
66	2103800001-0001	Upper fork shaft	1
67	360920058	Shaft elastic retaining ring 13	1
68	2101800006-0001	reverse shift fork	1
69	2116900001-0001	Lever limit plate	1
70	360010024	Type 1 hexagon nut M6	1
71	2104400001-0001	Shift lever housing	1
72	3409000010-0001	Oil plug 26×7	2
73	2139600001-0001	lever arm axis	1
74	2405300002-0001	lever	1
75	360580024	Standard Type 6×18 Elastic Cylindrical Pin Coiling	1
76	3000500010-0001	Damping handlebar φ12 (with gear marking)	1
77	360220161	Hexagon flange bolt M8×55	4
78	2425000001-0001	vent plug	2
79	3015500002-0004	Shift lever	1
80	3016800001-0001	Gear lever cover	1
81	360300009	Hex head bolt M6×30	1
82	360800031	Oil seal 24×35×7	1
83	3407900001-0001	Combination sealing gasket 8	2
84	360220038	Hex head bolt M8×12	2
85	360220153	Hexagon flange bolt M10×12	1
86	3407900002-0001	Combination gasket 10	1




Lp	Kod	Nazwa	Ilość
1	360250034	Hexagonal head bolt with full thread M10 × 25	3
2	360620015	Standard spring washer 10	4
3	360590009	Extra large gasket C-grade 10	4
4	2106600055-0001	Active pulley	2
5	360980068	Regular flat key 5 × 5 × 30	2
6	2803800007-0001	support bracket	1
7	360910025	Elastic retaining ring A type 42 for holes	1
8	360220039	Hexagonal flange bolt small series M8 × 16	14
9	360720008	Deep groove ball bearing 6004/2RS	2
10	2420400004-0009	Shield bracket	1
11	2801200002-0010	front wheel bracket	2
12	361300003	Non metallic embedded hexagonal locking thin nut M10	20
13	2712500003-0001	Swinging blade	36
14	2712100014-0001	Knife cylinder	1
15	2142300002-0009	bearing housing	2
16	360940011	Open end retaining ring 12	2
17	360720040	Deep groove ball bearing 6206	2
18	360910022	Elastic retaining ring for hole 62	2
19	360980056	Ordinary flat key 7 × 7 × 20	1
20	2109200027-0001	Driven pulley (tiller output)	1
21	360010003	Hexagonal nut M8	2
22	360660015	Flat washer 16	1
23	2601500059-0009	Belt guard (bottom)	1
24	2123600038-0001	Agricultural machinery V-belt 17 × 985LW	1
25	3404600012-0001	Tension wheel tension spring (tiller output)	1
26	2110300020-0001	Tensioning wheel assembly (tiller output)	1
27	2411900021-0001	Rear rubber of mudguard	1
28	2411400005-0001	adjusting screw	1
29	2141200007-0001	drive shaft	1
30	360220062	Hexagonal flange bolt small series M10 × 20	2
31	3000500002-0001	12 shock-absorbing grip	1
32	3003800006-0001	Adjusting handle (height)	1
33	3410800135-0001	Lining 12.2 × 16 × 39.2	2
34	2411400006-0001	Adjust screw (height)	1
35	3402200004-0002	Card spring B	1
36	361020064	Pin axis 10 × 50	1
37	3005800002-0009	Connecting rod adjustment rod	1
38	360250118	Hexagonal head bolt with full thread M12 × 60	2
39	360120015	Type 1 non-metallic embedded hexagonal lock nut M12	2
40	360250072	Hexagonal head bolt with full thread M12 × 25	2
41	2805500002-0010	Walking wheel support frame	1
42	360260087	Hexagonal head bolt M10 × 75	2


43	2607500009-0001	cover plate	2
44	360620029	Standard spring washer 12	2
45	360660009	Flat washer A grade 12	3
46	360760007	Thrust ball bearing 51105	2
47	3410800134-0001	Lining 10.5 × 17.5 × 44	2
48	360620011	Standard elastic washer 8	8
49	2604900005-0009	front fender	1
50	360300232	Hexagonal flange bolt enlarged series B-grade M6 × 18	10
51	2415200004-0009	Mudguard pressure strip	2
52	2411900020-0001	Front rubber of mudguard	1
53	360210002	Hexagonal cap nut M6	10
54	360210001	Hexagonal cap nut M8	6
55	3403000001-0001	Square neck bolt M8 × 16	6
56	2803100014-0001	walking wheel	2
57	2607800002-0008	Sliding baffle	1
58	360300055	Hexagonal flange bolt enlarged series B-grade M6 × 35	1
59	360120005	Type 1 non-metallic embedded hexagonal lock nut M6	1
60	2408200009-0001	dust cover	1
61	360250101	Hexagonal head bolt with full thread M10 × 25 (left turn)	1
62	2401900008-0009	Box connection plate	1
63	2609200002-0001	Lower anti entanglement cover	2
64	3409400007-0001	Non standard hexagonal head bolt M10 * 35/b=11mm_10.9 grade	18
65	360920070	Elastic retaining ring for shaft type A (d0 ≥ 10) 16	1
66	360620006	Standard spring washer 6	10




Lp	Kod	Nazwa	Ilość
1	2401600010-0010	Armrest base	1
2	2405800006-0010	reinforced support	1
3	360220039	Hexagonal flange bolt M8 × 16	15
4	360010008	Hex nut M10	5
5	360620015	Standard spring washer 10	9
6	360660013	Flat washer 10	9
7	T011480019	W300F-2 gasoline engine	1
8	360220136	Hexagonal flange bolt M10 × 170	1
9	2407900011-0001	Gear indicator bracket	1
10	2401200069-0005	engine mount	1
11	360250034	Hexagonal head bolt M10 × 25	8
12	2419200006-0001	Welding components for engine mounting bracket	2
13	3410800136-0001	Lining 12 × 22 × 12	1
14	2134400001-0005	Output shaft pressure plate	2
15	360010003	Type 1 hex nut M8	2
16	360620008	Standard spring washer 8	2
17	360660010	Flat washer A grade 8	2



Lp	Kod	Nazwa	Ilość
1	2401400061-0001	Armrest seat	1
2	2402300153-0004	Armrest (CE model)	1
3	2605400010-0002	Armrest cover plate	1
4	3000900029-0001	Clutch handle	2
5	3000500003-0002	Shock-absorbing grip	2
6	3000900007-0001	Clutch handle	2
7	1815700001-0001	Throttle switch	1
8	3009100010-0001	Turn to Lasso	2
9	360040008	Type 2 hexagonal flange nut M6	4
10	360300007	Hexagonal flange bolt enlarged series B-grade M6 × 16	4
11	360260107	Hexagonal head bolt A and B grade M12 × 130	1
12	360260104	Hexagonal head bolts A and B grade M12 × 140	1
13	360120015	Type 1 non-metallic embedded hexagonal lock nut M12	2
14	360220040	Hexagonal head flange bolt small series M8 × 20	4
15	3001600006-0001	Main clutch cable (CE model)	1
16	3001800044-0001	Walking clutch cable (CE model)	1
17	3000200007-0001	throttle cable	1
18	2400600001-0001	Self-locking clamp	2



Lp	Kod	Nazwa	Ilość
1	360040009	Hex Flange Nut M8	3
2	2601500058-0009	Belt Guard	1
3	360660010	Flat Washer 8	4
4	360220039	Hex Flange Bolt M8×16	10
5	360220041	Hex Flange Bolt M8×25	1
6	360590002	Extra Large Washer 8	1
7	360980047	Flat Key 7×7×30	1
8	2106600056-0001	Drive Pulley	1
9	2123600040-0001	Agricultural V-Belt 17×1400LW	1
10	2152500017-0001	Travel Idler Pulley	1
11	2123600039-0001	Agricultural V-Belt 17×895LW	1
12	3402200004-0002	Retaining Ring B	2
13	360660009	Flat Washer 12	2
14	360220067	Hex Flange Bolt M8×35	2
15	2110300022-0001	Tensioner Pulley Assembly/Travel	1
16	2608000004-0004	Small Pulley Guard	1
17	2113000007-0001	Belt Pressure Bar	3
18	3404500008-0001	Tensioner Pulley Return Spring	1
19	2422000013-0004	Belt Guard Base Plate	1
20	360660013	Flat Washer 10	1
21	360620015	Standard Spring Washer 10	1
22	360010008	Hex Nut M10	1
23	2112900003-0004	Pulley Clamping Plate	1
24	3404500003-0001	Tensioner Return Spring/WM500	1
25	360220137	Hex Flange Bolt M10×175	1
26	3404600004-0001	Tensioner Pull Spring/Normally Open Type	1
27	2110300021-0001	Tensioner Assembly/Plow Blade Input	1
28	360980068	Flat Key 5×5×30	1
29	360590001	Extra Large Washer 6	1
30	360300007	Hex Flange Bolt M6×16	1



Lp	Kod	Nazwa	Ilość
1	2802300096-0001	Tire assembly/6.50-8 right	1
2	2801000039-0001	Wheel axle/6.50-8	2
3	3402200004-0002	Card spring B	2
4	361020032	Pin axis 8X50	2
5	360250034	Hexagonal head bolt with full thread M10 × 25	8
6	360620015	Standard spring washer 10	8
7	360010008	Type 1 hex nut M10	8
8	2802300095-0001	Tire assembly/6.50-8 left	1