







Ref No	Numer katalogowy	Description	Qty
1	2402300048-0001	Handle frame	1
2	360250056	Hexangular bolt A class M8X60	2
3	3410800033-0001	Reverse gear switch bush	2
4	360660010	Flat gasket 8	6
5	360870012	Elastic cylindrical pin, straight groove, light type 4X20	2
6	2210900013-0001	Engine flame out cable	1
7	3000500003-0001	Φ25 shock absorption handle rubber cover	2
8	3012800001-0001	Reverse gear switch	1
9	3010400013-0001	Reverse gear cable	1
10	3005000003-0001	Handle turning cable	1
11	3012200001-0001	Angle adjusting handle	1
12	3000200015-0001	Throttle cable	1
	3000200029-0001	X720B Throttle cable	1
13	1815700001-0001	MF type throttle switch (Φ25)	1
14	3000900017-0001	2 generation lock handle	1
15	360080002	Metal hexangular lock nut M8 (chromeplate)	2
16	3009200043-0001	Normally disengaged clutch cable	1
17	2400600001-0001	Φ25 cable clip	4




Ref No	Numer katalogowy	Description	Qty
1	2603800001-0001	Handle seat cover	1
2	3417200001-0001	U type threaded stud	2
3	360120015	Non-metal hexangular lock nut M12	1
4	2406700001-0001	Vertical pipe lock pin	2
5	2425900001-0001	Wire hoop	1
6	2410600001-0001	Round shape small cushion sheath	3
7	360660009	Flat gasket 12	2
8	360260044	Hexangular bolt A class M12X90	1
9	2408000001-0001		1
10	360260011	Hexangular bolt C class M10X75	2
11	3406100001-0001	Transfer pressing spring	1
12	3008500001-0001	Transfer protrude tongue	1
13	2401500005-0001	Handle seat	1
14	360120013	1 Type non-metal hexangular lock nut M10	3
15	360260010	Hexangular bolt M10X100	1
16	3404300003-0001	Torsion spring	1
17	2400100002-0001	Restriction position plate	1
18	360120009	1 Type non-metal hexangular lock nut M8	6
19	2601100001-0001	Height adjustment rubber handle bar	1
20	360220096	Hexangular flange side bolt M8X35	2
21	3015100003-0001	Fix position plate	2
22	3004100003-0001	Height adjustment handle bar	1




Ref No	Numer katalogowy	Description	Qty
1	2405700006-0001	168 engine back supporting frame	1
	2405700004-0001	177 engine back supporting frame	1
	2405700007-0001	178 engine back supporting frame	1
2	360660004	Washer 6	2
3	360620006	Spring washer 6	3
4	360120005	Non-metal hexagon locking nut M6	2
5	2410300004-0001	U-shape supporting seat	1
6	2410600001-0001	Small round cushion	6
7	360300152	Fully threaded hexagon bolt (larger) B M6*55	1
8	2603900001-0001	Gear box cover	1
9	360300045	Fully threaded hexagon bolt (larger) B M6*20	2
10	2410200001-0001	Supporting seat A	1




Ref No	Numer katalogowy	Description	Qty
1	360530014	Stud bm=2d A M8*32	6
2	360220067	Hexagon flange bolt M8*35	4
3	2109300007-0001	Flange plate	1
	2109300008-0001	Flange plate - 177F-2	1
	2109300009-0001	Flange plate - 178F	
4	3401100005-0001	Gasket between crankcase cover and flange	1
5	T010330046	WM170F-2 engine	1
	T010580001	WM177F-2 engine	1
	T020070041	WM178F diesel engine	1
6	2401800004-0001	Engine cover connection B - gasoline engine	1
	2401800003-0001	Engine cover connection B - diesel engine	1
7	2604000001-0001	Engine cover	1
	2604100001-0002	Engine cover - diesel engine	1
	2610100001-0001	Engine cover decoration -diesel engine	2




Ref No	Numer katalogowy	Description	Qty
1	2101400001-0002	Outter cover assy	1
2	2150700001-0001	Central sheath assy	1



Ref No	Numer katalogowy	Description	Qty
1	360720012	Deep groove ball bearing 6006	1
2	2112300001-0001	Central set	1
3	2112400001-0001	Spline sleeve	1
4	360660031	Washer 30.2×39.5×0.9	1
5	3406300001-0001	Separation spring	1
6	2112700001-0001	Friction disk	5
7	2112200001-0001	Steel plate	4
8	2112600001-0001	Pressure plate	1
9	360760004	Ball thrust bearing	1
10	2402500002-0001	Cushion cover	1
11	360920064	Circlip for shaft A type 20	1
12	3417000005-0001	Adjusting washer	1
13	2111400002-0001	Friction plate	1
14	3406300002-0001	Separation spring (smaller)	1




Ref No	Numer katalogowy	Description	Qty
1	360120009	1 type Non metallic insert hexagonal locknut M8	6
2	360620008	standard elastic washer 8	10
3		Tail cover assembly	1
4	3400600001-0001	Gear box cover gasket	1
5		Gear box parts	1
6	3404800009-0001	Gear spring	1
7	360970006	Steel ball 11.906 G100 GB/T 308-2002	1
8	2410700002-0001	Cushion collar	2
9	2401400035-0001	Standing jointing seat	1
10	2407900003-0001	Gear indicator	1
11	360660010	Flat washer 8	4
12	360190001	1 type metallic hexagonal locknut M8	4



Ref No	Numer katalogowy	Description	Qty
1	360910018	Circlip A type 52 for hole	4
2	2110900001-0001	Bushing	1
3	360720019	Deep groove ball bearing 6202 GB/T 276-94	2
4	360720036	Deep groove ball bearing 6205 GB/T 276-94	4
5	2108900002-0001	Worm rod A	1
6	3411100004-0001	Washer 51.8×42×1	1
7	3411100005-0001	Washer 51.8×42×0.5	1
8	2117300002-0001	Shift straight gear C	1
9	2118900001-0001	Shift straight gear B	1
10	3406800001-0001	Reverse gear spring	1
11	2118800003-0001	PTO straight gear C	1
12	2118800002-0001	PTO straight gear B	1
13	360120009	1 type metallic hexagonal locknut M8	3
14	3005300002-0001	Clutch cable seat	2
15	2406500001-0001	Draw Spring Arm	1
16	360530016	Stud bolt $b_m=2d$ M8×25	1
17	360940003	Split damping ring 6	1
18	2406800001-0001	Spacing rubber round	1
19	2406600001-0001	Reverse gear arm	1
20	3408800021-0001	Lip seal FB type 14×22×5	3
21	360580025	Elastic cylindrical pin & Roll & standard 6×26	2
22	2101800003-0001	Reverse gear fork	2
23	2110400002-0001	Striker fork	2
24	360530013	Stud bolt $b_m=2d$ A M8×45	2
25	3408800019-0001	Lip seal FB type 25×52×7	2
26	3410800040-0001	worm-wheel shaft bushing A	2
27	2113600004-0001	worm-wheel shaft A	1


Ref No	Numer katalogowy	Description	Qty
28	2109000002-0001	worm-wheel A	1
29	360530017	Stud bolt bm=2d A M8×55	4
30	360840001	Cylindrical pin A type 6×20	2
31	3400700001-0001	Maintenance cover gasket	1
32	2111200001-0001	Maintenance cover	1
33	360620006	Standard elastic washer 6	3
34	360250008	Hexagonal bolt A class M6×12	3
35	360620008	Standard elastic washer 8	5
36	3005300006-0001	1100 Clutch cable sliding seat	1
37	360920071	Circlip for shaft A type 14	1
38	3410800041-0001	Gear shift bushing	1
39	2114100001-0001	Gear shift	1
40	3405300001-0001	Shift rod spring	1
41	3015600025-0001	Shift rod A	1
42	360660010	Flat washer A class 8	4
43	2102400003-0001	Clutch fork axes	1
44	3416100005-0001	O type rubber seal ring 8.75×1.9	2
45	3410800009-0001	Sheath For clutch Fork axes	2
46	3417800001-0001	Coamping bolt M8×15	1
47	2102500003-0001	Clutch fork	1
48	360940012	Split damping ring 9	1
49	3403400003-0001	Hexagonal plug screw M14×1.5×12	1
50	3412100046-0001	Aluminum flat gasket 14	1
51	2106000026-0001	Gear Box	1
52	360530015	Stud bolt bm=2d A M8×20	5
53	3401500001-0001	Top cover Gasket	1
54	2111100003-0001	Top cover	1
55	360010003	1 type Hexagonal Nut M8	4
56	1104700009-0001	Vacuum oil dipstick	1




Ref No	Numer katalogowy	Description	Qty
1	360120015	Non metal hexangular nut M12	2
2	3412100011-0001	Washer 12×29×4	2
3	2602400001-0001	PTO shaft shield	1
4	3408800020-0001	Lip seal FB type 38×55×8	1
5	360910017	Circlip A type 55 for hole	1
6	2113900001-0001	PTO shaft	1
7	2132500001-0001	Coupling band pressure spring	1
8	360970010	Steel ball 6.35 G100 b GB/T 308-2002	2
9	360530028	Stud bolt bm=2d A M12×32	2
10	2110600001-0001	tail cover	1
11	360530015	Stud bolt bm=2d A M8×20	2
12	360580026	Elastic cylindrical pin & Roll & standard 4×24	1
13	2111000001-0001	Idle pulley Mounting arm	1
14	3411100003-0001	Washer 12×24×1	1
15	360730010	Needle bearing KT121610	1
16	2110800001-0001	Idle pulley	1
17	2114000001-0001	Idle pulley shaft	1

Ref No	Numer katalogowy	Description	Qty
18	360660013	Flat washer 10	2
19	360250039	Hexagonal bolt A class M10×30	2
20	2114500003-0001	Driving gear chief axis	1


21	2118800001-0001	PTO driving gear A	1
22	2109900001-0001	Coupling band	1
23	360920061	Circlip A type 30 for shaft	1
24	360720046	Deep groove ball bearing 6302 GB/T 276-94	1
25	360940011	Split damping ring 12	1
26	360720012	Deep groove ball bearing 6006 GB/T 276-94	1
27	GB/T819.2-1986	Sunk screw with cross recess M6×0.75×25	1
28	2103500006-0001	PTO fork axes	1
29	2102600003-0001	PTO fork arm	1
30	2110400002-0001	Striker fork	1
31	3408800021-0001	Lip seal FB type 14×22×5	2
32	360920071	Circlip A type 14 for shaft	1




Ref No	Numer katalogowy	Description	Qty
1	2406400001-0001		1
2	2407000001-0001		1
3	360010008		8
4	2800800006-0001		1
5	2800500003-0001		1
6	2800900007-0001		1
7	360250034		10
8	3410800064-0002		2
9	360620015		12
10	360380024		2
11	360220039		1
12	360640005		1
13	2132400001-0001		1
14	2406200001-0001		1
15	2407200001-0001		1
16	360620008		6
17	360380030		4
18	2110400002-0001		1
19	2407100002-0001		1
20	360220044		1




Ref No	Numer katalogowy	Description	Qty
1	2406400001-0001		1
2	2407000001-0001		1
3	360010008	Hexagon nut M10	8
4	2800800006-0001	4.0-8 inner wheel rim for x720	1
5	2800500003-0001	Tiller tyre with tube AG 16.2X4/0-8 4PR	1
6	2800900007-0001	4.0-8 outter wheel rim for x720	1
7	360250034	Fully threaded hexagon bolt A M10*25	10
8	3410800064-0002		2
9	360620015	Spring washer 10	12
10	360380024		2
11	360220039		1
12	360640005		1
13	2132400001-0001		1
14	2406200001-0001		1
15	2407200001-0001		1
16	360620008	Spring washer 8	6
17	360380030		4
18	2110400002-0001		1
19	2407100002-0001		1
20	360220044		1




Ref No	Numer katalogowy	Description	Qty
1	3008300001-0001	PTO control lever B	1
2	3015600029-0001	Shift lever B	1
3	3402200004-0002	Clip B	1
4	3416700001-0001	PTO Hinge B	1
5	360870013	Straight flute heavy-duty spring column pin 3x20	2
6	3008200001-0001	PTO control lever A	1
7	360870012	Straight flute heavy-duty spring column pin 4x20	1
8	3416800001-0001	PTO Hinge A	1
9	3405600001-0001	Spring	1
10	360120009	Non metal hexangular nut M8	6
11	360660009	Washer 12	1
12	360710006	O-ring 11.2x1.8	1
13	360620008	Spring washer 8	6
14	360120024	Non metal hexangular nut M4	1
15	360410047	Cross-recessed disc-head screw M4x30	1
16	360980063	key A 6*20	2
17	2101100004-0001	Clutch assy	1
18	3401200003-0001	gasket	1
19	360980077	key 4.78x4.78x20	1
20	3412100011-0001	Washer 12x29x4	2
21	360120015	Non metal hexangular nut M12	2
22	3401900001-0001	Hinge, gear shifting	1




Ref No	Numer katalogowy	Description	Qty
1		Connector, rotary assy	1
2	2702800007-0001	Right blade assy	1
3	2105600055-0002	Gear box assy, rotary assy	1
4	2702800008-0001	Left blade assy	1
5		Protection cover, rotary assy	1




Ref No	Numer katalogowy	Description	Qty
1	360260083	Hexangular bolt M12×80	1
2	360660009	Washer 12	1
3	360120015	Non metal hexangular nut M12	1
4	360660038	Washer 14	2
5	3008900001-0001	Height setting lever	1
6	360660010	Washer 8	2
7	360250029	Full-thread Hexangular bolt M8×30 (A grade)	3
8	2409500001-0001	Earth breaking blade	1
9	360190001	Metal hexangular nut M8	3
10	360620008	Spring washer 8	2
11	2406300004-0001	Connecting lever	1
12	361020074	Pin B 8×22	1
13	360560015	Split pin A 2.5×30	2
14	2601100001-0001	Grips,Height setting	1
15	2803100006-0001	Wheel(8×1.6)	1
16	360660015	A Grade Washer 16	1
17	2109800001-0001	wheel axle	1
18	3402200004-0002	Clip B	1
19	360120017	Non metal hexangular nut M14	2




Ref No	Numer katalogowy	Description	Qty
1	360120009	1 type non-metal hexangualr lock nut M8	12
2	2706000001-0001	Blade handle flange plate	1
3	2700200001-0001	Rotary tilling blade (left)	6
4	2700200002-0001	Rotary tilling blade (right)	4
5	2712100001-0003	Blades holder	2
6	360250126	Hexangular thread bolt A class M8X35	8
7	360250028	Hexangular thread bolt A class M8X25	4



Ref No	Numer katalogowy	Description	Qty
1	360250011	Hexangular thread bolt A class M6X20	1
2	360590001	gasket C class 6	1
3	2404500001-0001	Φ8 rubber gasket	2
4	2134900001-0001	connector	1
5	3408800022-0001	Lip seal FB type 28X50X7	1
6	360740001	Bearing S7004	1
7	360720032	Deep groove ball bearing 6204	1
8	2110000007-0001	bevel gear	1
9	2106200001-0001	Rotary tilling gear box	1
10	360530015	Two side with tread bolt bm = 2d A M8X20	4
11	3416500001-0001	gear box gasket	1
12	2425300018-0001	Connecting frame	1
13	360660010	Flat gasket class 8	8
14	360620008	Standard elastic gasket 8	4
15	360080002	1 type metallic hexangular lock nut M8	4
16	3408800023-0001	Lip seal FB type 25X35X7	2
17	360720036	Deep groove ball bearing 6205	2
18	3412100046-0001	Aluminum gasket 14	1
19	3403400003-0001	Hexangular tread plug M14X1.5X12	1
20	2113600010-0001	Rotary tilling PTO	1
21	360920061	PTO elastic circlip A type 30	1
22	2110100002-0001	Rotary tilling Big gear	1
23	3400900003-0001	Side cover Gasket	1
24	2124800002-0002	Side cover	1
25	360250028	Hexangular thread bolt A class M8X25	4



Ref No	Numer katalogowy	Description	Qty
1	2706000001-0001	Blade handle flange plate	1
2	2700200002-0001	Rotary tilling blade (right)	6
3	2700200001-0001	Rotary tilling blade (left)	4
4	2712100001-0003	blades holder	2
5	360120009	1 type non-metallic hexagonal lock nut M8	12
6	360250126	Hexagonal thread bolt A class M8X35	8
7	360250028	Hexagonal thread bolt A class M8X25	4



Ref No	Numer katalogowy	Description	Qty
1	2601600142-0001	Rotary tilling mud fender C	1
2	360560015	Split pin ABtype 2.5X30	2
3	2406900001-0001	Second board for Mud fender A	2
4	2602500003-0001	Rotary tilling mud fender A	1
5	2420800001-0001	vibration absorber	2
6	360660013	gasket 10	3
7	360250024	Hexangular thread bolt C class M8X20	12
8	360620008	Standard gasket 8	12
9	360010003	I type Hexangular screw M8	12
10	2601600141-0001	Rotary tilling mud fender B	1
11	360940013	Split pin 8	1
12	3406000001-0001	Spring	1
13	3401700002-0001	L type pin	1
14	2602700006-0001	Rotary tilling mud fender D	1